



**LZ22**

**Laufenn**

A Brand by Hankook Tire

**M+S**





When the blue that represents rational value and the red that represents emotional value meet, the violet of Laufenn is born. Laufenn provides transport professionals with both practical value and satisfaction.



Laufenn - exceptional 'on road' performance delivering transport partner value.

Laufenn provides the performance you need in all usage conditions, designed for transport professionals.

### **Laufenn offers a product for all professional transport partners**

The Laufenn brand offers customers that are seeking value, quality and performance a wide range of quality products to meet a broad variety of driving conditions. No matter the season, no matter the road conditions, Laufenn will bring you reliably throughout your journey.

### **Manufactured by a premium TBR manufacturer**

Laufenn tyres are designed by experienced engineers at state-of-the-art facilities in order to provide high tech products fitting to all the needs and expectations of demanding customers. The products are produced with the latest automated equipment at large scale ISO-certified plants, where quality is guaranteed.

### **Built with Quality and Reliability in mind**

The Laufenn quality policy provides superior products and services to satisfy the needs of our customers all over the world. In this quickly changing world we offer you up-to-date products that target your day-to-day needs and help you to reach your destinations at ease.

### **The value choice for professional partners**

Making sure that you can extract all of the value designed and manufactured into the tyre range. Laufenn tyres are designed to deliver maximum mileage performance, making them the right choice for the 'value' focused transport professional.



***LZ22***



# Drive Tyre for Regional Haul Applications



Wear life



Durability



Braking

Drive axle tyre for regional haul application. The robust tread compound leads to a long tyre life and contributes to even wear. The extra wide tread and deep grooves ensure a durable ride and higher mileage.



## FEATURES

- The special block shape provides block rigidity even under heavy loads for an outstanding traction and tread stability.
- Displays outstanding driving and braking capabilities on wet and snowy roads.

### **LZ22**

Speed Symbol : J / L / M

N.S.W : 205~315

Series : 70~80

Inch : 17.5~22.5

EU Label : D~E / B / W1



**LZ22**

# Drive Axle Tyre for Regional Haul Application



Durability



Fuel efficiency

Superior combination of durability and mileage.



## Extra Wide Tread and Deep Grooves

Extra wide tread and deep grooves ensure high mileage.

## Optimised Block

Optimised block shape provides block rigidity under heavy loads for outstanding traction and tread stability.

































## High Density Lateral Groove

High density lateral grooves help provide excellent traction in all weather conditions.



# AVAILABLE SIZES

Size	LI/SS	Ply	Measured Rim	Max.Air				Max.Load				Overall Diameter	Section Width	Tread Width	Tread Depth	Static Loaded Radius	Tyre labelling class				Markings
				PSI		bar		kgs		lbs											
				S	D	S	D	S	D	S	D										
Tubeless																					
205/75R17.5	124/122M	P12	6.00	109	109	7.50	7.50	1600	1500	3525	3305	766	203	174	13.5	359	E	B	73	W1	  
215/75R17.5	126/124M	P12	6.00	102	102	7.00	7.00	1700	1600	3750	3530	777	213	178	13.5	363	E	B	73	W1	  
235/75R17.5	132/130M	P14	6.75	110	110	7.75	7.75	2000	1900	4410	4190	810	238	202	13.1	374	D	B	73	W1	  
245/70R17.5	136/134M	P14	7.50	123	123	8.50	8.50	2240	2120	4940	4675	806	248	202	13.1	394	D	B	73	W1	  
245/70R19.5	143/141J (136/134M)	P18	7.50	130	130	9.00	9.00	2725 (2240)	2575 (2120)	6005 (4940)	5675 (4675)	852	252	214	16.0	389	D	B	70	W1	  
265/70R19.5	143/141J (140/138M)	P18	7.50	130	130	9.00	9.00	2725 (2500)	2575 (2360)	6005 (5510)	5675 (5205)	874	260	226	16.0	405	D	B	70	W1	  
295/80R22.5	152/148M	P16	9.00	123	123	8.50	8.50	3550	3150	7830	6945	1068	304	250	22.7	497	E	B	73	W1	  
315/70R22.5	154/150L	P18	9.00	131	131	9.00	9.00	3750	3350	8270	7390	1023	310	260	19.5	472	E	B	73	W1	  
315/80R22.5	156/150L (154/150M)	P18	9.00	123 (120)	123 (120)	8.50 (8.30)	8.50 (8.30)	4000 (3750)	3350 (3350)	8820 (8270)	7390 (7390)	1093	318	264	23.3	506	E	B	73	W1	  

Technical data subject to change without prior notice.

## Recommended vehicle types and position



● Recommended position

***Laufenn***

**HANKOOK TYRE UK LTD.**

Fawsley Drive, Heartlands Business Park, Daventry, Northamptonshire, NN11 8UG, UK.

Tel : +44 (0)1327 304100 Fax : +44 (0)1327 304110

[www.laufenn.com](http://www.laufenn.com)