



Laufenn offers a product for all professional transport partners

The Laufenn brand offers customers that are seeking value, quality and performance a wide range of quality products to meet a broad variety of driving conditions. No matter the season, no matter the road conditions, Laufenn will bring you reliably throughout your journey.

Manufactured by a premium TBR manufacturer

Laufenn tyres are designed by experienced engineers at state-of-the-art facilities in order to provide high tech products fitting to all the needs and expectations of demanding customers. The products are produced with the latest automated equipment at large scale ISO-certified plants, where quality is guaranteed.

Built with Quality and Reliability in mind

The Laufenn quality policy provides superior products and services to satisfy the needs of our customers all over the world. In this quickly changing world we offer you up-to-date products that target your day-to-day needs and help you to reach your destinations at ease.

The value choice for professional partners

Making sure that you can extract all of the value designed and manufactured into the tyre range. Laufenn tyres are designed to deliver maximum mileage performance, making them the right choice for the 'value' focused transport professional.



LR53

Drive Tyre for On and Off-Road Surfaces







Drive axle tyre for a reliable on and off-road performance. The unique chip & cut resistant tread compound ensures durability and a long tyre lifespan. The special belt construction protects the tyre during rough off-road terrain.





FEATURES

Optimised on & off-road tyre with wide lug patterned tread design.

LR53

Available Sizes:

13R22.5 and 315/80R22.5

Speed Symbol : K

N.S.W: 315 Series: 80 Inch: 22.5

EU Label: D/C/W1





Drive Axle Tyre for On and Off-Road Conditions





Innovative lug pattern design ensures high durability.

Optimised rugged belt structure for on and off-road driving conditions.




Specific Tread Compound

Specific tread compound provides excellent chip and cut resistance.

Innovative Lug Directional Design

Innovative lug directional design ensures outstanding self-cleaning capability.





Robust 4-Belt Construction

Robust 4-belt construction with specific protection layer that helps to deliver exceptional casing life.





AVAILABLE SIZES

Size	LI/SS	Ply	Measured Rim	Max.Air				Max.Load				Overall Diameter	Section Width	Tread Width	Tread Depth	Static Loaded	Tyre labelling class			ass	Markings
			KIIII	PSI		bar		kgs		lbs		Diameter	Widti	widtii	Deptii	Radius		161 ^{egg}	™ n		
				S	D	S	D	S	D	S	D	mm	mm	mm	mm	SLR				(U))	
Tubeless																					
13R22.5	156/150K	P18	9.75	127	127	8.8	8.8	4000	3350	8820	7390	1128	320	240	19.7	522	D	С	72	W1	M+S 🕸
315/80R22.5	156/150K	P18	9.00	123	123	8.5	8.5	4000	3350	8820	7390	1090	315	250	20.6	501	D	С	72	W1	M+S 🕸

Technical data subject to change without prior notice.


Recommended vehicle types and position

















Recommended position



HANKOOK TYRE UK LTD.

Fawsley Drive, Heartlands Business Park, Daventry, Northamptonshire, NN11 8UG, UK. Tel: +44 (0)1327 304100 Fax: +44 (0)1327 304110 www.laufenn.com